



Date : 18 August 2023

CERTIFICATE OF COMPLIANCE

This certificate of compliance validates the following			
TEST REPORT NUMBER 'Assessment Reports' are not acceptable	XD075-1	CERTIFICATE NUMBER	CL23020842
DATE OF ISSUE	12 July 2023	DATE OF ISSUE	18 August 2024
DATE OF EXPIRY	-	DATE OF EXPIRY	17 August 2025
Manufacturer details			
NAME OF FACTORY / MANUFACTURER	EMIRATES EXTRUDED POLYSTYRENE LLC	NAME OF THE BRAND	E-FOAM
FACTORY ADDRESS / REGION (STREET / TOWN / CITY / COUNTRY)	Plot 598-119, Dubai Investment Park, Dubai, UAE	MODEL / NO	Extruded (XPS) Polystyrene Thermal Insulation Board Type VII (Density – 35 kg/m3 minimum) Size: 1250 x 600 mm Thickness: 25-100 mm
WEBSITE	http://www.eepdubai.com	LOGO ON THE PRODUCT	 الإمارات العربية المتحدة EMIRATES EXTRUDED POLYSTYRENE L.L.C E-FOAM INSULATION SYSTEM
TEL	+971 4 885 0471	EMAIL	j.chidiac@eepdubai.com



Product Details From Test Report		Reference Test Report page NO
DESCRIPTION OF THE PRODUCT (TECHNICAL DETAILS FROM TEST REPORT, SUCH AS ACTUAL FIRE RATINGS/DIMENSIONS/THICKNESS/ SENSITIVITY ETC)	E-Foam Extruded Polystyrene Sheets 26 mm thickness Density of 44.51 kg/m ³ Dimension: 7320 mm x 515 mm	Page 4/10 of test report no. XD075-1
TEST STANDARD (SUCH AS ASTM/BS EN/ DN ETC)	UL 723 11 th Edition	Page 1/10 of test report no. XD075-1
TEST DESCRIPTION	Standard Test Method for Surface Burning Characteristics of Building Materials	Page 1/10 of test report no. XD075-1
SPECIFICATION OF TEST SPECIMEN	7320 mm x 515 mm x 26 mm	Page 4/10 of test report no. XD075-1
TEST RESULT (SUCH AS PASSED CRITERIA___/ COMPLIED TO___/ DURATION___/OBSERVATION___/ETC)	FLAME SPREAD INDEX (FSI) = 10 SMOKE DEVELOPED INDEX (SDI) = 60	Page 7/10 of test report no. XD075-1
PRODUCT APPLICATION GUIDELINE (END USE) (CLEARLY STATE THE END USE WITH SPECIFIC APPLICATION, SUCH AS EXACT FIRE RATING/TO BE INSTALLED IN___/TO BE INSTALLED AT___/TO BE CONNECTED WITH___/TO BE INSTALLED WITH___ ETC ALONG WITH ANY WARNINGS SUCH AS NOT TO BE USED IN___/NOT TO BE INSTALLED AT___/ NOT TO BE INSTALLED WITH___ ETC.	To be used as thermal insulation materials as per the product applications mentioned in DCLD Certification (CL23020842)	N/A



Laboratory and Certification body details			
NAME OF CERTIFICATION BODY	Dubai Municipality - Dubai Central Laboratory Department	NAME OF TEST FACILITY	Thomas Bell Wright International Consultants
CERTIFICATION BODY ADDRESS / REGION (STREET / TOWN / CITY / COUNTRY)	P.O. Box 67, DUBAI, United Arab Emirates	TEST FACILITY ADDRESS / REGION (STREET / TOWN / CITY / COUNTRY)	P.O. Box 26385 Jebel Ali Industrial Area 1, Dubai, United Arab Emirates
WEBSITE	www.dm.gov.ae	WEBSITE	www.bell-wright.com
TEL	+971 4 302 7555	TEL	+971 4 821 5777
EMAIL	certification@dm.gov.ae	EMAIL	fire@bell-wright.com
ACCREDITED BY (NAME OF ACCREDITATION BODY WHICH ISSUED ACCREDITATION TO THE CERTIFICATION BODY, ALONG WITH WEBSITE)	Emirates International Accreditation Centre (EIAC)	ACCREDITED BY (NAME OF ACCREDITATION BODY WHICH ISSUED ACCREDITATION TO THE LABORATORY, ALONG WITH WEBSITE)	UKAS Testing Laboratory GCC Accreditation Center (GAC)
AS PER (STANDARD TO WHICH THE CERTIFICATION BODY IS ACCREDITED TO)	ISO/IEC 17065	AS PER (STANDARD TO WHICH YOUR ORGANIZATION IS ACCREDITED TO)	ISO/IEC 17025
VALIDITY (EXPIRY DATE OF CERTIFICATION BODY ACCREDITATION)	09 November 2024	VALIDITY (EXPIRY DATE OF LABORATORY ACCREDITATION)	Valid at the date of issuance of test report
REFERENCE NUMBER: (CERTIFICATION BODY ACCREDITATION REFERENCE NUMBER TO VERIFY ON THE ACCREDITOR'S WEBSITE)	CB- PRD-001	REFERENCE NUMBER: (THE LABORATORY ACCREDITATION REFERENCE NUMBER TO VERIFY ON THE ACCREDITOR'S WEBSITE)	UKAS Testing Laboratory: 4439 GCC Accreditation Center (GAC): ATL 0017
CERTIFICATION MARK	N/A		



(ENDORSEMENT) TO BE SIGNED BY CERTIFICATION BODY			
NAME OF CERTIFICATION BODY SIGNATORY	ENG. MAJED AL SHAMSI	SIGNATURE	
EMAIL / TEL	certification@dm.gov.ae +971 4 302 7555	CERTIFICATION BODY OFFICIAL SEAL	
NOTES: I Undertake that all data and information provided are genuine and accurate			

(ENDORSEMENT) TO BE SIGNED BY MANUFACTURER			
NAME OF MANUFACTURER'S SIGNATORY	MR. JOSEPH CHIDIAC	SIGNATURE	
EMAIL / TEL	+971 4 885 0471 j.chidiac@eepdubai.com	FACTORY OFFICIAL SEAL	 P.O.Box: 28807 Dubai - U.A.E.
NOTES: I Undertake that all data and information provided are genuine and accurate			

ATTACHMENTS:

- COPY OF 'CERTIFICATE OF COMPLIANCE' ISSUED BY CERTIFICATION BODY (OLD OR NEW)



CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

Insulation Materials

(Details as per the attached Scope of Certification)

manufactured by:

EMIRATES EXTRUDED POLYSTYRENE

Plot No. 598-119, Dubai Investment Park, Dubai, UAE

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

2018 UAE Fire and Life Safety Code of Practice

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).

ENG. MAJED AL SHAMSI

Certification and Quality Control of Products Section's Acting Manager
Dubai Central Laboratory Department-Dubai Municipality

Certificate No: CL23020842
Valid Until: 17/08/2025



Current Issue Date: 18/08/2024
Original Issue Date: 18/08/2023



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

OPEN-DATA

DM-DCLD-F-IC-2031 Rev 27



DUBAI CENTRAL LABORATORY DEPARTMENT
DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL23020842

Certificate Issued To: EMIRATES EXTRUDED POLYSTYRENE LLC
Plot 598-119, Dubai Investment Park, Dubai, UAE

Applicable Standard Specification: UAE Fire & Life Safety Code of Practice 2018

Applicable Specific Rules: DM-DCLD-RD-DP/21-2210 (IC) - Certification of Thermal Materials for Compliance to the requirements of UAE Fire and Life Safety Code of Practice 2018

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
1.	Rigid Cellular Extruded Polystyrene Thermal Insulation Board	E-FOAM	Extruded (XPS) Polystyrene Thermal Insulation Board Type VII (Density – 35 kg/m ³ minimum) Size: 1250 x 600 mm Thickness: 25-100 mm Fire Properties: Class A (tested as per ASTM E84) (Flame Spread: 25 max, Smoke development: 450 max) complies with 2018 UAE Fire and Life Safety Code for Test 1 of Table 1.15a: EIFS & ETICS on Non-Fire Resistance rated and Non-Load bearing Exterior wall coverings



DUBAI CENTRAL LABORATORY DEPARTMENT
DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL23020842

			For the following occupancy & type of building such as: any building, any installation, any aesthetics Fire Properties: Class A (tested as per ASTM E84) (Flame Spread: 25 max, Smoke development: 450 max) complies with 2018 UAE Fire and Life Safety Code for Test 1 of Tables 1.15b: EIFS & ETICS on Fire Resistance rated Exterior wall coverings. For the following occupancy & type of building such as: any building, any installation, any aesthetics
--	--	--	--

- Note 1:** This document forms an integral part of the Certificate of Product Conformity bearing the same certificate number.
- Note 2:** The Fire safety test results meet the requirements of the UAE Fire and Life Safety Code of Practice 2018 as an insulation material.
- Note 3:** As applicable, other properties in the product standard specification which were excluded in the specific rules as approved by the certification body authorized personnel are to be verified by the end user of the product (if needed).

Original Issue Date: 18 August 2023
Current Issue Date: 18 August 2024
Valid Until: 17 August 2025

ENG. MAJED AL SHAMSI

CERTIFICATION AND QUALITY CONTROL OF PRODUCTS SECTION'S ACTING MANAGER

Page 2 of 2

P.O. Box 67, DCL, Zabeel Road, Karama, Dubai, UAE

DM-DCLD-F-IC-2032 R13

بيانات مفتوحة / OPEN DATA